

2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

FOR AMERICAN INDIAN STUDENTS IN URBAN SCHOOLS

The following frequency distributions are based upon surveys with 500 high school American Indian students in urban schools in Montana during February of 2009. Frequency distributions may not total 500 due to nonresponse and percents may not total 100 percent due to rounding.

<i>Q-1. How old are you?</i>	<u>Count</u>	<u>Percent</u>
a. 12 years old or younger	2	0.4%
b. 13 years old	0	0.0%
c. 14 years old	37	7.4%
d. 15 years old	144	28.9%
e. 16 years old	134	26.9%
f. 17 years old	106	21.2%
g. 18 years old or older	76	15.2%
Total	499	100.0%

<i>Q-2. What is your sex?</i>	<u>Count</u>	<u>Percent</u>
a. Female	242	48.8%
b. Male	254	51.2%
Total	496	100.0%

<i>Q-3. In what grade are you?</i>	<u>Count</u>	<u>Percent</u>
a. 9th grade	149	30.7%
b. 10th grade	138	28.5%
c. 11th grade	103	21.2%
d. 12th grade	93	19.2%
e. Ungraded or other	2	0.4%
Total	485	100.0%

<i>Q-4. Are you Hispanic or Latino?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	77	15.7%
b. No	415	84.3%
Total	492	100.0%

<i>Q-5. What is your race?</i>	<u>Count</u>	<u>Percent</u>
a. American Indian or Alaskan Native	500	100.0%
b. Asian	12	2.4%
c. Black or African American	16	3.2%
d. Native Hawaiian or Other Pacific Islander	12	2.4%
e. White	170	34.0%
(More than one response allowed)	Total	710
		142.0%

<i>Q-6. How tall are you without your shoes on?</i>	<u>Count</u>	<u>Percent</u>
a. Less than 4 ft	2	0.4%
b. 4ft to 4 ft, 6 in	1	0.2%
c. 4ft, 7in to 5 ft	10	2.0%
d. 5ft, 1in to 5ft, 6in	201	41.2%
e. Over 5ft, 6in	274	56.1%
Total	488	100.0%

**2009 MONTANA YOUTH RISK BEHAVIOR SURVEY
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS
FOR AMERICAN INDIAN STUDENTS IN URBAN SCHOOLS**

<i>Q-7. How much do you weigh without your shoes on?</i>	<u>Count</u>	<u>Percent</u>
a. Less than 90 lbs	1	0.2%
b. 90-99 lbs	7	1.4%
c. 100-109 lbs	15	3.1%
d. 110-119lbs	32	6.6%
e. 120-129 lbs	71	14.7%
f. 130-139 lbs	55	11.4%
g. 140 lbs +	302	62.5%
	Total	483
		100.0%

<i>Q-8. When you rode a bicycle during the past 12 months, how often did you wear a helmet?</i>	<u>Count</u>	<u>Percent</u>
a. I did not ride a bicycle during the past 12 months	147	29.8%
b. Never wore a helmet	298	60.3%
c. Rarely wore a helmet	25	5.1%
d. Sometimes wore a helmet	9	1.8%
e. Most of the time wore a helmet	6	1.2%
f. Always wore a helmet	9	1.8%
	Total	494
		100.0%

<i>Q-9. How often do you wear your seat belt when riding in a car driven by someone else?</i>	<u>Count</u>	<u>Percent</u>
a. Never	34	6.9%
b. Rarely	68	13.9%
c. Sometimes	94	19.2%
d. Most of the time	157	32.0%
e. Always	137	28.0%
	Total	490
		100.0%

<i>Q-10. How often do you wear a seat belt when driving a car?</i>	<u>Count</u>	<u>Percent</u>
a. I do not drive a car	100	20.3%
b. Never	33	6.7%
c. Rarely	62	12.6%
d. Sometimes	42	8.5%
e. Most of the time	87	17.6%
f. Always	169	34.3%
	Total	493
		100.0%

<i>Q-11. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	310	62.2%
b. 1 time	51	10.2%
c. 2 or 3 times	71	14.3%
d. 4 or 5 times	21	4.2%
e. 6 or more times	45	9.0%
	Total	498
		100.0%

**2009 MONTANA YOUTH RISK BEHAVIOR SURVEY
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS
FOR AMERICAN INDIAN STUDENTS IN URBAN SCHOOLS**

Q-12. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?	<u>Count</u>	<u>Percent</u>
a. 0 times	403	81.1%
b. 1 time	45	9.1%
c. 2 or 3 times	19	3.8%
d. 4 or 5 times	10	2.0%
e. 6 or more times	20	4.0%
Total	497	100.0%

Q-13. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?	<u>Count</u>	<u>Percent</u>
a. 0 days	350	70.7%
b. 1 day	25	5.1%
c. 2 or 3 days	32	6.5%
d. 4 or 5 days	11	2.2%
e. 6 or more days	77	15.6%
Total	495	100.0%

Q-14. During the past 30 days, on how many days did you carry a gun?	<u>Count</u>	<u>Percent</u>
a. 0 days	434	87.0%
b. 1 day	20	4.0%
c. 2 or 3 days	14	2.8%
d. 4 or 5 days	9	1.8%
e. 6 or more days	22	4.4%
Total	499	100.0%

Q-15. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or a club on school property?	<u>Count</u>	<u>Percent</u>
a. 0 days	431	86.4%
b. 1 day	14	2.8%
c. 2 or 3 days	10	2.0%
d. 4 or 5 days	5	1.0%
e. 6 or more days	39	7.8%
Total	499	100.0%

Q-16. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?	<u>Count</u>	<u>Percent</u>
a. 0 days	470	94.6%
b. 1 day	12	2.4%
c. 2 or 3 days	5	1.0%
d. 4 or 5 days	4	0.8%
e. 6 or more days	6	1.2%
Total	497	100.0%

**2009 MONTANA YOUTH RISK BEHAVIOR SURVEY
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS
FOR AMERICAN INDIAN STUDENTS IN URBAN SCHOOLS**

<i>Q-17. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	451	90.2%
b. 1 time	15	3.0%
c. 2 or 3 times	16	3.2%
d. 4 or 5 times	4	0.8%
e. 6 or 7 times	2	0.4%
f. 8 or 9 times	0	0.0%
g. 10 or 11 times	0	0.0%
h. 12 or more times	12	2.4%
Total	500	100.0%

<i>Q-18. During the past 12 months, how many times were you in a physical fight?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	262	52.6%
b. 1 time	82	16.5%
c. 2 or 3 times	91	18.3%
d. 4 or 5 times	31	6.2%
e. 6 or 7 times	9	1.8%
f. 8 or 9 times	8	1.6%
g. 10 or 11 times	2	0.4%
h. 12 or more times	13	2.6%
Total	498	100.0%

<i>Q-19. During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	466	94.0%
b. 1 time	18	3.6%
c. 2 or 3 times	6	1.2%
d. 4 or 5 times	0	0.0%
e. 6 or more times	6	1.2%
Total	496	100.0%

<i>Q-20. During the past 12 months, how many times were you in a physical fight on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	408	82.1%
b. 1 time	49	9.9%
c. 2 or 3 times	27	5.4%
d. 4 or 5 times	5	1.0%
e. 6 or 7 times	1	0.2%
f. 8 or 9 times	1	0.2%
g. 10 or 11 times	0	0.0%
h. 12 or more times	6	1.2%
Total	497	100.0%

<i>Q-21. During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	75	15.3%
b. No	415	84.7%
Total	490	100.0%

**2009 MONTANA YOUTH RISK BEHAVIOR SURVEY
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS
FOR AMERICAN INDIAN STUDENTS IN URBAN SCHOOLS**

Q-22. <i>Have you ever been forced to have sexual intercourse when you did not want to?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	70	14.2%
b. No	422	85.8%
Total	492	100.0%
Q-23. <i>During the past 12 months, have you ever been bullied on school property?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	137	27.5%
b. No	362	72.5%
Total	499	100.0%
Q-24. <i>During the past 12 months, have you ever been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	105	21.3%
b. No	389	78.7%
Total	494	100.0%
Q-25. <i>During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	182	37.3%
b. No	306	62.7%
Total	488	100.0%
Q-26. <i>During the past 12 months, did you ever seriously consider attempting suicide?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	115	23.2%
b. No	380	76.8%
Total	495	100.0%
Q-27. <i>During the past 12 months, did you make a plan about how you would attempt suicide?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	96	19.6%
b. No	394	80.4%
Total	490	100.0%
Q-28. <i>During the past 12 months, how many times did you actually attempt suicide?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	400	81.3%
b. 1 time	54	11.0%
c. 2 or 3 times	24	4.9%
d. 4 or 5 times	2	0.4%
e. 6 or more times	12	2.4%
Total	492	100.0%

2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

FOR AMERICAN INDIAN STUDENTS IN URBAN SCHOOLS

<i>Q-29. If you attempted suicide during the past 12 months, did any attempt result in injury, poisoning, or overdose that had to be treated by a doctor or nurse?</i>	<u>Count</u>	<u>Percent</u>
a. I did not attempt suicide during the past 12 months	383	77.4%
b. Yes	37	7.5%
c. No	75	15.2%
Total	495	100.0%

<i>Q-30. Have you ever tried cigarette smoking, even one or two puffs?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	346	71.0%
b. No	141	29.0%
Total	487	100.0%

<i>Q-31. How old were you when you smoked a whole cigarette for the first time?</i>	<u>Count</u>	<u>Percent</u>
a. I have never smoked a whole cigarette	178	36.0%
b. 8 years old or younger	68	13.7%
c. 9 or 10 years old	36	7.3%
d. 11 or 12 years old	65	13.1%
e. 13 or 14 years old	74	14.9%
f. 15 or 16 years old	62	12.5%
g. 17 years old or older	12	2.4%
Total	495	100.0%

<i>Q-32. During the past 30 days, on how many days did you smoke cigarettes?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	291	58.4%
b. 1 or 2 days	43	8.6%
c. 3 to 5 days	23	4.6%
d. 6 to 9 days	24	4.8%
e. 10 to 19 days	26	5.2%
f. 20 to 29 days	24	4.8%
g. All 30 days	67	13.5%
Total	498	100.0%

<i>Q-33. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?</i>	<u>Count</u>	<u>Percent</u>
a. I did not smoke cigarettes during the past 30 days	289	57.8%
b. Less than 1 cigarette per day	42	8.4%
c. 1 cigarette per day	46	9.2%
d. 2 to 5 cigarettes per day	82	16.4%
e. 6 to 10 cigarettes per day	29	5.8%
f. 11 to 20 cigarettes per day	4	0.8%
g. More than 20 cigarettes per day	8	1.6%
Total	500	100.0%

2009 MONTANA YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS FOR AMERICAN INDIAN STUDENTS IN URBAN SCHOOLS

Q-34. During the past 30 days, how did you usually get your own cigarettes? (Select only one response)	<u>Count</u>	<u>Percent</u>
a. I did not smoke cigarettes during the past 30 days	283	58.0%
b. I bought them in a store such as a convenience store, supermarket, discount store, or gas station	42	8.6%
c. I bought them from a vending machine	7	1.4%
d. I gave someone else money to buy them for me	61	12.5%
e. I borrowed them from someone else	50	10.2%
f. A person 18 years old or older gave them to me	9	1.8%
g. I took them from a store or family member	10	2.0%
h. I got them some other way	26	5.3%
Total	488	100.0%

Q-35. During the past 30 days, on how many days did you smoke cigarettes on school property?	<u>Count</u>	<u>Percent</u>
a. 0 days	429	87.2%
b. 1 or 2 days	30	6.1%
c. 3 to 5 days	8	1.6%
d. 6 to 9 days	7	1.4%
e. 10 to 19 days	4	0.8%
f. 20 to 29 days	2	0.4%
g. All 30 days	12	2.4%
Total	492	100.0%

Q-36. Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?	<u>Count</u>	<u>Percent</u>
a. Yes	147	29.9%
b. No	344	70.1%
Total	491	100.0%

Q-37. During the past 12 months, did you ever try to quit smoking cigarettes?	<u>Count</u>	<u>Percent</u>
a. I did not smoke during the past 12 months	272	55.1%
b. Yes	157	31.8%
c. No	65	13.2%
Total	494	100.0%

Q-38. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garret, Beechnut, Skoal, Skoal Bandits, or Copenhagen?	<u>Count</u>	<u>Percent</u>
a. 0 days	416	83.5%
b. 1 or 2 days	31	6.2%
c. 3 to 5 days	11	2.2%
d. 6 to 9 days	6	1.2%
e. 10 to 19 days	4	0.8%
f. 20 to 29 days	7	1.4%
g. All 30 days	23	4.6%
Total	498	100.0%

2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

FOR AMERICAN INDIAN STUDENTS IN URBAN SCHOOLS

<i>Q-39. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	438	87.8%
b. 1 or 2 days	26	5.2%
c. 3 to 5 days	8	1.6%
d. 6 to 9 days	3	0.6%
e. 10 to 19 days	7	1.4%
f. 20 to 29 days	5	1.0%
g. All 30 days	12	2.4%
Total	499	100.0%

<i>Q-40. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	389	78.6%
b. 1 or 2 days	53	10.7%
c. 3 to 5 days	16	3.2%
d. 6 to 9 days	11	2.2%
e. 10 to 19 days	5	1.0%
f. 20 to 29 days	4	0.8%
g. All 30 days	17	3.4%
Total	495	100.0%

<i>Q-41. During your life, on how many days did you have at least one drink of alcohol?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	99	20.0%
b. 1 or 2 days	69	13.9%
c. 3 to 9 days	70	14.1%
d. 10 to 19 days	48	9.7%
e. 20 to 39 days	53	10.7%
f. 40 to 99 days	63	12.7%
g. 100 or more days	94	19.0%
Total	496	100.0%

<i>Q-42. How old were you when you had your first drink of alcohol other than a few sips?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had a drink of alcohol other than a few sips	84	17.0%
b. 8 years old or younger	73	14.8%
c. 9 or 10 years old	49	9.9%
d. 11 or 12 years old	85	17.2%
e. 13 or 14 years old	111	22.5%
f. 15 or 16 years old	80	16.2%
g. 17 years old or older	12	2.4%
Total	494	100.0%

2009 MONTANA YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS FOR AMERICAN INDIAN STUDENTS IN URBAN SCHOOLS

<i>Q-43. During the past 30 days, on how many days did you have at least one drink of alcohol?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	244	49.2%
b. 1 or 2 days	96	19.4%
c. 3 to 5 days	61	12.3%
d. 6 to 9 days	37	7.5%
e. 10 to 19 days	33	6.7%
f. 20 to 29 days	14	2.8%
g. All 30 days	11	2.2%
Total	496	100.0%

<i>Q-44. During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	301	60.3%
b. 1 day	49	9.8%
c. 2 days	52	10.4%
d. 3 to 5 days	38	7.6%
e. 6 to 9 days	27	5.4%
f. 10 to 19 days	16	3.2%
g. 20 or more days	16	3.2%
Total	499	100.0%

<i>Q-45. During the past 30 days, how did you usually get the alcohol you drank?</i>	<u>Count</u>	<u>Percent</u>
a. I did not drink alcohol during the past 30 days	224	45.2%
b. I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	24	4.8%
c. I bought it at a restaurant, bar, or club	3	0.6%
d. I bought it at a public event such as a concert or sporting event	8	1.6%
e. I gave someone else money to buy it for me	66	13.3%
f. Someone gave it to me	103	20.8%
g. I took it from a store or family member	11	2.2%
h. I got it some other way	57	11.5%
Total	496	100.0%

<i>Q-46. During the past 30 days, on how many days did you have at least one drink of alcohol on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	444	91.0%
b. 1 or 2 days	22	4.5%
c. 3 to 5 days	6	1.2%
d. 6 to 9 days	5	1.0%
e. 10 to 19 days	1	0.2%
f. 20 to 29 days	2	0.4%
g. All 30 days	8	1.6%
Total	488	100.0%

2009 MONTANA YOUTH RISK BEHAVIOR SURVEY **HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS** **FOR AMERICAN INDIAN STUDENTS IN URBAN SCHOOLS**

<i>Q-47. During your life, how many times have you used marijuana?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	199	40.4%
b. 1 or 2 times	42	8.5%
c. 3 to 9 times	50	10.1%
d. 10 to 19 times	31	6.3%
e. 20 to 39 times	26	5.3%
f. 40 to 99 times	38	7.7%
g. 100 or more times	107	21.7%
Total	493	100.0%

<i>Q-48. How old were you when you tried marijuana for the first time?</i>	<u>Count</u>	<u>Percent</u>
a. I have never tried marijuana	190	38.4%
b. 8 years old or younger	40	8.1%
c. 9 or 10 years old	31	6.3%
d. 11 or 12 years old	51	10.3%
e. 13 or 14 years old	89	18.0%
f. 15 or 16 years old	83	16.8%
g. 17 years old or older	11	2.2%
Total	495	100.0%

<i>Q-49. During the past 30 days, how many times did you use marijuana?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	316	64.0%
b. 1 or 2 times	53	10.7%
c. 3 to 9 times	34	6.9%
d. 10 to 19 times	26	5.3%
e. 20 to 39 times	21	4.3%
f. 40 or more times	44	8.9%
Total	494	100.0%

<i>Q-50. During the past 30 days, how many times did you use marijuana on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	456	91.8%
b. 1 or 2 times	19	3.8%
c. 3 to 9 times	9	1.8%
d. 10 to 19 times	5	1.0%
e. 20 to 39 times	1	0.2%
f. 40 or more times	7	1.4%
Total	497	100.0%

<i>Q-51. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	430	86.0%
b. 1 or 2 times	34	6.8%
c. 3 to 9 times	16	3.2%
d. 10 to 19 times	7	1.4%
e. 20 to 39 times	1	0.2%
f. 40 or more times	12	2.4%
Total	500	100.0%

2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

FOR AMERICAN INDIAN STUDENTS IN URBAN SCHOOLS

Q-52. During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?	<u>Count</u>	<u>Percent</u>
a. 0 times	464	93.4%
b. 1 or 2 times	15	3.0%
c. 3 to 9 times	8	1.6%
d. 10 to 19 times	3	0.6%
e. 20 to 39 times	0	0.0%
f. 40 or more times	7	1.4%
Total	497	100.0%

Q-53. During your life, how many times have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?	<u>Count</u>	<u>Percent</u>
a. 0 times	369	74.1%
b. 1 or 2 times	43	8.6%
c. 3 to 9 times	39	7.8%
d. 10 to 19 times	16	3.2%
e. 20 to 39 times	11	2.2%
f. 40 or more times	20	4.0%
Total	498	100.0%

Q-54. During your life, how many times have you used heroin (also called smack, junk, or China White)?	<u>Count</u>	<u>Percent</u>
a. 0 times	473	94.8%
b. 1 or 2 times	13	2.6%
c. 3 to 9 times	3	0.6%
d. 10 to 19 times	3	0.6%
e. 20 to 39 times	1	0.2%
f. 40 or more times	6	1.2%
Total	499	100.0%

Q-55. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?	<u>Count</u>	<u>Percent</u>
a. 0 times	450	91.6%
b. 1 or 2 times	15	3.1%
c. 3 to 9 times	11	2.2%
d. 10 to 19 times	4	0.8%
e. 20 to 39 times	2	0.4%
f. 40 or more times	9	1.8%
Total	491	100.0%

Q-56. During your life, how many times have you used ecstasy (also called MDMA)?	<u>Count</u>	<u>Percent</u>
a. 0 times	423	84.8%
b. 1 or 2 times	35	7.0%
c. 3 to 9 times	23	4.6%
d. 10 to 19 times	5	1.0%
e. 20 to 39 times	2	0.4%
f. 40 or more times	11	2.2%
Total	499	100.0%

2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

FOR AMERICAN INDIAN STUDENTS IN URBAN SCHOOLS

<i>Q-57. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	469	94.4%
b. 1 or 2 times	10	2.0%
c. 3 to 9 times	3	0.6%
d. 10 to 19 times	2	0.4%
e. 20 to 39 times	3	0.6%
f. 40 or more times	10	2.0%
Total	497	100.0%

<i>Q-58. During your life, how many times have you used a needle to inject any illegal drug into your body?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	473	95.7%
b. 1 time	9	1.8%
c. 2 or more times	12	2.4%
Total	494	100.0%

<i>Q-59. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	141	28.8%
b. No	348	71.2%
Total	489	100.0%

<i>Q-60. Have you ever had sexual intercourse?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	310	63.8%
b. No	176	36.2%
Total	486	100.0%

<i>Q-61. How old were you when you had sexual intercourse for the first time?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	185	37.4%
b. 11 years old or younger	36	7.3%
c. 12 years old	28	5.7%
d. 13 years old	38	7.7%
e. 14 years old	64	12.9%
f. 15 years old	75	15.2%
g. 16 years old	50	10.1%
h. 17 years old or older	19	3.8%
Total	495	100.0%

<i>Q-62. During your life, with how many people have you had sexual intercourse?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	191	38.5%
b. 1 person	81	16.3%
c. 2 people	49	9.9%
d. 3 people	41	8.3%
e. 4 people	31	6.3%
f. 5 people	29	5.8%
g. 6 or more people	74	14.9%
Total	496	100.0%

**2009 MONTANA YOUTH RISK BEHAVIOR SURVEY
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS
FOR AMERICAN INDIAN STUDENTS IN URBAN SCHOOLS**

<i>Q-63. During the past 3 months, with how many people did you have sexual intercourse?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	183	37.1%
b. I have had sexual intercourse, but not during the past 3 months	97	19.7%
c. 1 person	141	28.6%
d. 2 people	35	7.1%
e. 3 people	11	2.2%
f. 4 people	7	1.4%
g. 5 people	9	1.8%
h. 6 or more people	10	2.0%
Total	493	100.0%

<i>Q-64. Did you drink alcohol or use drugs before you had sexual intercourse the last time?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	185	37.8%
b. Yes	102	20.8%
c. No	203	41.4%
Total	490	100.0%

<i>Q-65. The last time you had sexual intercourse, did you or your partner use a condom?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	186	38.0%
b. Yes	192	39.3%
c. No	111	22.7%
Total	489	100.0%

<i>Q-66. The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	181	36.7%
b. No method was used to prevent pregnancy	54	11.0%
c. Birth control pills	42	8.5%
d. Condoms	161	32.7%
e. Depo-Provera	9	1.8%
f. Withdrawal	18	3.7%
g. Some other method	12	2.4%
h. Not sure	16	3.2%
Total	493	100.0%

<i>Q-67. How do you describe your weight?</i>	<u>Count</u>	<u>Percent</u>
a. Very underweight	14	2.9%
b. Slightly underweight	50	10.3%
c. About the right weight	249	51.1%
d. Slightly overweight	150	30.8%
e. Very overweight	24	4.9%
Total	487	100.0%

2009 MONTANA YOUTH RISK BEHAVIOR SURVEY **HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS** **FOR AMERICAN INDIAN STUDENTS IN URBAN SCHOOLS**

<i>Q-68. Which of the following are you trying to do about your weight?</i>	<u>Count</u>	<u>Percent</u>
a. Lose weight	217	44.1%
b. Gain weight	73	14.8%
c. Stay the same weight	97	19.7%
d. I am not trying to do anything about my weight	105	21.3%
Total	492	100.0%
<i>Q-69. During the past 30 days, did you exercise to lose weight or to keep from gaining weight?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	308	63.4%
b. No	178	36.6%
Total	486	100.0%
<i>Q-70. During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	207	42.2%
b. No	284	57.8%
Total	491	100.0%
<i>Q-71. During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	91	18.5%
b. No	401	81.5%
Total	492	100.0%
<i>Q-72. During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's prescription to lose weight or to keep from gaining weight?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	43	8.8%
b. No	448	91.2%
Total	491	100.0%
<i>Q-73. During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	32	6.7%
b. No	445	93.3%
Total	477	100.0%
<i>Q-74. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?</i>	<u>Count</u>	<u>Percent</u>
a. I did not drink 100% fruit juice during the past 7 days	103	20.8%
b. 1 to 3 times during the past 7 days	164	33.1%
c. 4 to 6 times during the past 7 days	107	21.6%
d. 1 time per day	26	5.3%
e. 2 times per day	47	9.5%
f. 3 times per day	20	4.0%
g. 4 or more times per day	28	5.7%
Total	495	100.0%

2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

FOR AMERICAN INDIAN STUDENTS IN URBAN SCHOOLS

<i>Q-75. During the past 7 days, how many times did you eat fruit?</i>	<u>Count</u>	<u>Percent</u>
a. I did not eat fruit during the past 7 days	54	10.9%
b. 1 to 3 times during the past 7 days	181	36.6%
c. 4 to 6 times during the past 7 days	118	23.9%
d. 1 time per day	52	10.5%
e. 2 times per day	54	10.9%
f. 3 times per day	14	2.8%
g. 4 or more times per day	21	4.3%
Total	494	100.0%

<i>Q-76. During the past 7 days, how many times did you eat green salad?</i>	<u>Count</u>	<u>Percent</u>
a. I did not eat green salad during the past 7 days	135	27.7%
b. 1 to 3 times during the past 7 days	215	44.1%
c. 4 to 6 times during the past 7 days	65	13.3%
d. 1 time per day	45	9.2%
e. 2 times per day	11	2.3%
f. 3 times per day	2	0.4%
g. 4 or more times per day	14	2.9%
Total	487	100.0%

<i>Q-77. During the past 7 days, how many times did you eat potatoes?</i>	<u>Count</u>	<u>Percent</u>
a. I did not eat potatoes during the past 7 days	130	26.2%
b. 1 to 3 times during the past 7 days	255	51.3%
c. 4 to 6 times during the past 7 days	60	12.1%
d. 1 time per day	34	6.8%
e. 2 times per day	8	1.6%
f. 3 times per day	4	0.8%
g. 4 or more times per day	6	1.2%
Total	497	100.0%

<i>Q-78. During the past 7 days, how many times did you eat carrots?</i>	<u>Count</u>	<u>Percent</u>
a. I did not eat carrots during the past 7 days	211	42.6%
b. 1 to 3 times during the past 7 days	200	40.4%
c. 4 to 6 times during the past 7 days	44	8.9%
d. 1 time per day	19	3.8%
e. 2 times per day	7	1.4%
f. 3 times per day	1	0.2%
g. 4 or more times per day	13	2.6%
Total	495	100.0%

<i>Q-79. During the past 7 days, how many times did you eat other vegetables?</i>	<u>Count</u>	<u>Percent</u>
a. I did not eat other vegetables during the past 7 days	83	16.9%
b. 1 to 3 times during the past 7 days	187	38.2%
c. 4 to 6 times during the past 7 days	128	26.1%
d. 1 time per day	40	8.2%
e. 2 times per day	20	4.1%
f. 3 times per day	15	3.1%
g. 4 or more times per day	17	3.5%
Total	490	100.0%

2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

FOR AMERICAN INDIAN STUDENTS IN URBAN SCHOOLS

<i>Q-80. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?</i>	<u>Count</u>	<u>Percent</u>
a. I did not drink a soda or pop during the past 7 days	83	16.8%
b. 1 to 3 times during the past 7 days	165	33.5%
c. 4 to 6 times during the past 7 days	92	18.7%
d. 1 time per day	52	10.5%
e. 2 times per day	42	8.5%
f. 3 times per day	25	5.1%
g. 4 or more times per day	34	6.9%
Total	493	100.0%

<i>Q-81. During the past 7 days, how many glasses of milk did you drink?</i>	<u>Count</u>	<u>Percent</u>
a. I did not drink milk during the past 7 days	80	16.2%
b. 1 to 3 glasses during the past 7 days	117	23.7%
c. 4 to 6 glasses during the past 7 days	73	14.8%
d. 1 glass per day	63	12.8%
e. 2 glasses per day	70	14.2%
f. 3 glasses per day	47	9.5%
g. 4 or more glasses per day	44	8.9%
Total	494	100.0%

<i>Q-82. During the past 7 days on how many days were you physically active for a total of at least 60 minutes per day?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	74	15.1%
b. 1 day	41	8.4%
c. 2 days	56	11.4%
d. 3 days	54	11.0%
e. 4 days	54	11.0%
f. 5 days	75	15.3%
g. 6 days	40	8.2%
h. 7 days	96	19.6%
Total	490	100.0%

<i>Q-83. On an average school day, how many hours do you watch TV?</i>	<u>Count</u>	<u>Percent</u>
a. I do not watch TV on an average school day	83	17.0%
b. Less than 1 hour per day	93	19.1%
c. 1 hour per day	71	14.5%
d. 2 hours per day	112	23.0%
e. 3 hours per day	71	14.5%
f. 4 hours per day	28	5.7%
g. 5 or more hours per day	30	6.1%
Total	488	100.0%

2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

FOR AMERICAN INDIAN STUDENTS IN URBAN SCHOOLS

<i>Q-84. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?</i>	<u>Count</u>	<u>Percent</u>
a. I do not play video or computer games or use a computer for something that is not school work	124	25.3%
b. Less than 1 hour per day	119	24.3%
c. 1 hour per day	84	17.1%
d. 2 hours per day	63	12.9%
e. 3 hours per day	48	9.8%
f. 4 hours per day	20	4.1%
g. 5 or more hours per day	32	6.5%
Total	490	100.0%

<i>Q-85. In an average week when you are in school, on how many days do you go to physical education (PE) classes?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	193	40.2%
b. 1 day	17	3.5%
c. 2 days	20	4.2%
d. 3 days	62	12.9%
e. 4 days	47	9.8%
f. 5 days	141	29.4%
Total	480	100.0%

<i>Q-86. During the past 12 months, on how many sports teams did you play?</i>	<u>Count</u>	<u>Percent</u>
a. 0 teams	217	44.7%
b. 1 team	119	24.5%
c. 2 teams	84	17.3%
d. 3 or more teams	66	13.6%
Total	486	100.0%

<i>Q-87. Have you ever been taught about AIDS/HIV infection in school?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	401	82.0%
b. No	61	12.5%
c. Not sure	27	5.5%
Total	489	100.0%

<i>Q-88. Has a doctor or nurse ever told you that you have asthma?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	119	24.5%
b. No	336	69.3%
c. Not sure	30	6.2%
Total	485	100.0%

<i>Q-89. Do you still have asthma?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had asthma	277	56.5%
b. Yes	99	20.2%
c. No	72	14.7%
d. Not sure	42	8.6%
Total	490	100.0%

**2009 MONTANA YOUTH RISK BEHAVIOR SURVEY
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS
FOR AMERICAN INDIAN STUDENTS IN URBAN SCHOOLS**

<i>Q-90. During the past 12 months, did you receive help from a resource teacher, speech therapist, or other special education teacher at school?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	103	22.1%
b. No	363	77.9%
Total	466	100.0%

<i>Q-91. Do you drive, and did you complete driver education (classroom and behind-the-wheel)?</i>	<u>Count</u>	<u>Percent</u>
a. No, doesn't drive, doesn't have license or permit, did not complete driver ed	158	32.8%
b. No, doesn't drive, doesn't have license or permit, but completed driver ed	38	7.9%
c. Yes, drives, has a valid license or permit, but did not complete driver ed	29	6.0%
d. Yes, drives, has valid license or permit and completed driver ed	189	39.3%
e. Yes, drives on public roads, but does not have a valid license or permit	67	13.9%
Total	481	100.0%